

CERTIFICATE OF ANALYSIS

Client's Reporting Address:

PO Box 486
Simon's Town
7995

Client's Telephone #: 021 786 4760

Client's Fax #:

Our Lab Ref #: 2010-03-18-052 **Our Sample ID :** AA47796

Client: Medspice Health Products CC

Client's Lab Ref: Client's Sample ID:

Requested by: Keith Scott

E-mail address: info@medspice.com

Department:

Product: (VitaSpice capsules)

Production Date: Sell by date: 01/09/2011

Best Before Date: Batch Code: 090809

Sample Condition: Sealed Test Category:


Date Received: 18/03/2010 Date Validated: 29/03/2010

Order Number: 2010008 Date Printed: 29/03/2010

ANALYSIS RESULTS	1	2	Average	MoU (%)	Test Method Ref
Arsenic (mg/100 g)	Not detected	Not detected	Not detected	-	S.O.P.C. No. 45
Cadmium (mg/100 g)	Not detected	Not detected	Not detected	-	S.O.P.C. No. 45
Mercury (mg/100 g)	Not detected	Not detected	Not detected	-	S.O.P.C. No. 45
Lead (mg/100 g)	Not detected	Not detected	Not detected	-	S.O.P.C. No. 45

COMMENTS

Confirmed by:



M Hattingh

Date: 2010/03/29 1

Technical Signatory

These results relate only to the items tested.

MoU = Measurement of Uncertainty.

C* = By calculation.

= SANAS Accredited Method.

Tests without the # mark in this report are "Not SANAS Accredited" and are not included in the SANAS Schedule of Accreditation for this laboratory.

Opinions and interpretations expressed herein are outside the scope of SANAS accreditation. This certificate shall not be reproduced except with the approval of the laboratory. The integrity of results reported are only valid from sample receipt by the laboratory.